

Technical specifications
(1/3)

Green colors metal

By Javier Mariscal



Mobles114

Technical specifications

(2/3)



*Metric unit cm

PRODUCT

Units	Weight
1	3,5 kg


PACKAGING

Units	Weight	Dimensions	Volume
2	10,5 kg	57x57x57 cm	0,19 m ³

All packaging is double recyclable cardboard. The chair is delivered disassembled in a box with two units.

MATERIALS AND COLORS

Structure (steel)



RAL 7044

Seat (polypropylene)



RAL 9002 RAL 1024 RAL 2001

Technical specifications

(3/3)

CERTIFICATIONS AND REGULATIONS

Flame retardant: UNE-EN 1021-1 and UNE-EN 1021-2

Public use resistance: UNE-EN 15373:07

Resistance for domestic use: UNE-EN 1728:01

External use: UNE-EN 581-1 and UNE-EN 581-2

MATERIALS AND FINISHES

Structure

Structure made up of 2 curved section steel tubes 16x2mm. The front and rear legs are welded together in the central area, giving the assembly the necessary resistance. Structure finished with epoxy powder paint 80 microns, 30% matt grey/beige RAL 7044.

The 4 ground support points are protected with plastic caps in the same color as the structure.

4 polypropylene plastic stops, designed for this chair model, fix the structure to the shell. These stops also act as a support point for the chair, when we stack them, preventing them from scratching each other.

Seat

The seat of the chair is made of injected polypropylene. The anatomical shape that characterizes the seat makes it ergonomic and comfortable.

Seat of great resistance and elasticity, reinforced by posterior and inferior nerves. The seat has a cavity in the center to drain in case of rain, suitable for outdoor use.

UV filter for exterior application.

The seat is available in three finishes: white RAL 9002, ocher RAL 1024 and orange RAL 2001.

Stackable chair (Max. 8)

MAINTENANCE

Clean with a damp cloth with mild soap and water. Rinse and dry with a dry cloth. Avoid the use of abrasive products.