


Cirio Lineal

Antoni Arola, 2010

Pendant Lamp



This is a simple structure from which shades hang delicately, enabling long lines of light by fitting together successive structures. Like its sisters, it allows for various easily interchangeable shades, from the porcelain craft of Sargadelos that creates candle-like warmth, to translucent opal glass, and the opaque elegance of brass.

GENERAL DESCRIPTION

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

3 lampshade options: white porcelain, polished brass and white opal glass.

Black aluminium structure.

2 options of adjustable black metallic canopy with built-in equipment:

Circular (CE Market): regulation DALI / DSI / SWITCH DIM

Rectangular: regulation 1-10V / DALI. Not included external dimmer switch.

Suitable for Junction Box (UL market).

Electric cable length: 5 m / 196.8"

LIGHT SOURCE

Light source included

5 x Module of 4 LEDs

Circular canopy (CE Market):

Power system: 3,7 W

Operating current: 350 mA

T^a Colour : 2.700 K

CRI: 90

Lifetime: 40.000 h

Luminous flux:

(5) 2.080 lm / (10) 4.160 lm

Rectangular canopy:

Power system: 7,7 W

Operating current: 700 mA

T^a Colour : 2.700 K

CRI: 90

Lifetime: 40.000 h

Luminous flux:

(5) 3.760 lm / (10) 7.520 lm

Built-in adjustable LED.

Suitable for dimming systems. (Not included external dimmer switch).

Energy efficiency class (E.E.C):

A++... A.

Suitable only for indoor use.

Always use this light source.

Input voltaje : 120 ~ 277 Vac.
(50 Hz / 60 Hz). According to destination.

Luminous performance with lampshade:

- White porcelain: 29%
- Polished brass: 29.3%
- White opal glass: 87%



SANTA & COLE

APPROXIMATE WEIGHT (unpacked)

Weight Cirio Lineal (with ceiling plate and porcelain lampshade): 7,5 Kg / 16.5 lb

Weight Cirio Final (with porcelain lampshade): 4,5 Kg / 10 lb

Lampshades:

Porcelain: 0,5 Kg / 1.1 lb

Brass: 0,6 Kg / 1.3 lb

White opal glass: 0,3 Kg / 0.7 lb

REGULATIONS

CE



UNE-EN 60598

UNE-EN 55015

UNE-EN 62031

UNE-EN 60529

UNE-EN 61000-3-2



Dry and damp location

UL-1598

UL-8750

E-336377

MAINTENANCE

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

OTHERS


The lamp is delivered in different packages.

The assembly instructions are delivered with the product.


LAMPSHADES




White porcelain



White opal glass




Brass




MODELS

Cirio Lineal - Circular canopy*




A+B+B



* (Only CE market)

MODELS




COLLECTION


Pendant lamps



Cirio Simple



Cirio Múltiple



Cirio Cascada



Cirio Circular



Cirio Lineal



Cirio Chandelier