
Santa & Cole Team. 1994 Pendant lamp

















The GT5 and GT6 are ideal for average-sized spaces and domestic use. The pendant lamps feature beautiful ribbon shades that add elegance and a touch of colour to a neutral room.

General description:

2 lampshade options: GT5 / GT6.

Circular metallic canopy satin nikel or textured white, black finished for a double or simple lamp socket.

Suitable for side entry adaptor.

Lower disk in translucent white PVC:

(A) GT5: Ø 40cm / 15.7" (B) GT6: Ø 36cm / 14.2"

Suitable for Junction Box Ø 11,7 cm / 4.6" ((UL market).

Electric cable length: 3 m / 118.1"

Available colours:



GT5 GT6

Tile Raw Color ribbon













Approximate weight (unpacked):

GT5: 3,5 kg / 7.7 lb GT6: 2,5 kg / 5.5 lb

Light source:

Recommended light sources: 1x/2x LED bulb 10 W Other light sources: Máx. 100 W

E27 - E26

(Max. hgt. 130 mm / 5.1")

Light source not included. Suitable only for indoor use.

Always use the light source recommended or equivalent.

Input voltaje: 100, 120, 230 Vac.

(50 Hz / 60 Hz). According to destination

GT5/GT6

Santa & Cole Team. 1994 Pendant lamp



Regulations:

UNE-EN 60598 UNE-EN 55015 UNE-EN 60529

Dry location only UL-1598 E-353545

Maintenance:


Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.


Others:

The lamp is delivered in different packages.


The assembly instructions are delivered with the product.


Model A: GT5





 ϵ











Model B: GT6





Collection:

Table lamps



Trípode G6 / M3

Floor lamps



Trípode G5

Pendant lamps



(€

GT5/GT6



GT7



GT1000 / GT1500





Comodín

















Red-amber Bla ribbon

Black ribbon

Tile Raw Color Meribbon Co

Mustard Raw Color ribbon

Green Raw Color ribbon

Canopies (CE):

Natural ribbon









CE







GT7 is similar to the GT5 although it is larger in size. It incorporates an upper metal disc near the light source to strengthen the structure and a diffuser disc on the lower section. Designed in 1994, the GT5 pendant lamp was the first of a large family created as an alternative to the use of cardboard, methacrylate, or solid textile shades; the use of handmade cotton ribbon reincorporates traditional craftsmanship. Then came the GT6, followed by the large format GT7, GT1000 and GT1500 designed for public spaces.

Each shade is handmade, as Santa & Cole continues to favour the use of ribboned shades to dress up every kind of light sources. In our search for the perfect hues, we collaborated with the studio Raw Color in Eindhoven (Holland) to create new ribbons. Each woven from three distinct yarns that created new colours: tile, mustard yellow and forest green. The three basic colours in the ribbon collection, natural white, amber red and black (available since 1994), complete the range of six colours available.

This is a colourful family that varies in size without altering its essence, creating rich luminous tones. With the light on, the shade provides a warm light, rich in nuances. With the light off, this lamp is a sculptural statement piece that enhances the room.

General description:

Natural, red-amber or black ribbon lampshade and tile, mustard or green Raw Color ribbon: upper Ø 80 cm / 31.5" x lower Ø 90 cm / 35.4" x h. 44 cm / 17.3".

Black metal disc on the upper part: Ø 40 cm / 15.6" and translucent white PVC diffuser disc on the lower part: Ø 60 cm / 23.7". white socket assembly with black cable.

Black metallic circular or satin nickel canopy suitable for side entry adaptor.

Suitable for Junction Box (UL market).

Electric cable length: 8 m / 315"

Approximate weight (unpacked):

7 Kg / 15 lb

Technical information:

Includes light source: 3 x LED bulb: 12 W / 1.521 lm / 2700K

5 X LED DUID. 12 W / 1.5211111 / 27 UUK

E27 - E26 / Max. hgt. 137 mm / 5.4" / Max. power 60 W $\,$

Suitable only for indoor use.

Always use the light source recommended or equivalent.

Input voltage: 100, 120, 230 Vac.

(50 Hz / 60 Hz). According to destination.



Regulations:

CE

UNE-EN 60598 UNE-EN 55015 UNE-EN 60529

UL Dry location only UL-1598 E-353545

Maintenance:


Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

Others


The lamp is delivered in different packages.

The assembly instructions are delivered with the product.

Model (CE):



Model (UL):





Collection:

Table lamps



Trípode G6 / M3

Floor lamps



Trípode G5

Pendant lamps

 ϵ



GT5 / GT6



GT7

GT1000 / GT1500



Comodín