


IMAGE



GENERAL DIMENSIONS



FINISHES



MAINTENANCE

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

DESCRIPTION

Set of pendants which evokes old empires, with brass rings and plates in white alabaster or oak. The light source is a plated LED with opal diffuser in acrylic material.

GENERAL SPECIFICATIONS

Installation	Ceiling
Ambient	Indoor
IP	20

MATERIALS

Body	Steel
Diffuser	Acrylic PMMA
Shade	Alabastro, Roble

FINISHES

Steel	Brass, Pewter
Alabaster	White
Acrylic PMMA	Opal
Oak	Natural, Dark

ELECTRICAL CHARACTERISTICS

Safety class	Class I
Light source	LED
LED type	Integrated LED
Rated input wattage	21W
Luminous flux	2900lm
Colour Temperature	2700K
AC Voltage	220-240
Frequency	50-60Hz
Operating current	500mA
CRI	80
Driver	Included
Dimmer	TRIAC (phase cut) on request DALI on request



DIMENSIONS AND PACKAGING


Body	57x68cm
Cable length	2m
Net weight	33kg

Box 1 dimension /volume	70x70x70cm/ 0.343m <sup>3</sup>
Box 2 dimension /volume	30x30x20cm/ 0.018m <sup>3</sup>
Box 3 dimension /volume	30x30x20cm/ 0.018m <sup>3</sup>
Box 1 weight	6.4kg
Box 2 weight	9kg
Box 3 weight	9kg


IMAGE



GENERAL DIMENSIONS



FINISHES



MAINTENANCE

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

DESCRIPTION

Set of pendants which evokes old empires, with brass rings and white alabaster plates. The light source is a plated LED with opal diffuser in acrylic material.

GENERAL SPECIFICATIONS

Installation	Ceiling
Ambient	Indoor
IP	20

MATERIALS

Body	Steel
Diffuser	Acrylic PMMA
Shade	Alabastro, Roble

FINISHES

Steel	Brass, Pewter
Alabaster	White
Acrylic PMMA	Opal
Oak	Natural, Dark

ELECTRICAL CHARACTERISTICS

Safety class	Class I
Light source	LED
LED type	Integrated LED
Rated input wattage	21W
Luminous flux	2900lm
Colour Temperature	2700K
AC Voltage	220-240
Frequency	50-60Hz
Operating current	500mA
CRI	80
Driver	Included
Dimmer	TRIAC (phase cut) on request DALI on request



DIMENSIONS AND PACKAGING

Body	80x84cm
Cable length	2m
Net weight	48.55kg


Box 1 dimension /volume	80x80x85cm/ 0.544m <sup>3</sup>
Box 2 dimension /volume	30x30x30cm/ 0.027m <sup>3</sup>
Box 3 dimension /volume	30x30x30cm/ 0.027m <sup>3</sup>
Box 1 weight	8.6kg
Box 2 weight	9kg
Box 3 weight	9kg

IMAGE




\* Image represents a 5 tier model

GENERAL DIMENSIONS



FINISHES



MAINTENANCE

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

DESCRIPTION

Set of pendants which evokes old empires, with brass rings and white alabaster plates. The light source is a plated LED with opal diffuser in acrylic material.

GENERAL SPECIFICATIONS

Installation	Ceiling
Ambient	Indoor
IP	20

MATERIALS

Body	Steel
Diffuser	Acrylic PMMA
Shade	Alabastro, Roble

FINISHES

Steel	Brass, Pewter
Alabaster	White
Acrylic PMMA	Opal
Oak	Natural, Dark

ELECTRICAL CHARACTERISTICS

Safety class	Class I
Light source	LED
LED type	Integrated LED
Rated input wattage	6x21W
Luminous flux	17400lm
Colour Temperature	2700K
AC Voltage	220-240
Frequency	50-60Hz
Operating current	500mA
CRI	80
Driver	Included
Dimmer	TRIAC (phase cut) on request DALI on request



DIMENSIONS AND PACKAGING

Body	190x230cm
Cable length	2m