



# Anvil Spot SR

By  
David Abad





Architectural  
Lighting

Collections

## Description

A collection of projectors made of aluminium, with direct lighting and LED bulbs. It is sold in a recessed ceiling version, which can be simple (Anvil Spot CR Single) or double (Anvil Spot CR Double), in addition to a surface suspension version (Anvil Spot S) and a suspension model with a recessed rosette (Anvil Spot SR). Finishes: matte white or matte black.

### Technical Description

Degree of Protection		Regulation	ON-OFF
Class		Light type	LED
Class		Light source included	Yes
Regulable	--	Energy classification	F
Casambi			

Certifications



### Packaging

Net Weight per Item	2 Kg
Box Sizes	17 x 14,5 x 12 cm - 0.003 m <sup>3</sup>
Gross Weight	--

## Finishes

SHADE



Black



White



Brass

## Collection



Anvil LED Module



Anvil Point



Anvil Sphere



Anvil Spot



Anvil Slim Spot



Anvil System

## Codes

## Luminaire


## Light Source

851230	ANVIL SPOT SR 38° BLACK	LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851231	ANVIL SPOT SR 38° WHITE	LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851232	ANVIL SPOT SR 60° BLACK	LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851233	ANVIL SPOT SR 60° WHITE	LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851795		LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851796		LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851797		LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851794+C		LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851790		LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851791		LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851792		LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851793		LED 4,5W 546lm 250mA 3000K CRI>=90 230V

DOWNLOADS

↓ Anvil\_Spot\_Assembly.pdf

↓ Anvil\_Spot\_2D.pdf





# Anvil Spot S

By  
David Abad





Architectural  
Lighting

Collections

## Description

A collection of projectors made of aluminium, with direct lighting and LED bulbs. It is sold in a recessed ceiling version, which can be simple (Anvil Spot CR Single) or double (Anvil Spot CR Double), in addition to a surface suspension version (Anvil Spot S) and a suspension model with a recessed rosette (Anvil Spot SR). Finishes: matte white or matte black.

### Technical Description

Degree of Protection		Regulation	ON-OFF
Class		Light type	LED
Class		Light source included	Yes
Regulable	--	Energy classification	F
Casambi			

Certifications



### Packaging

Net Weight per Item	2 Kg
Box Sizes	17 x 14,5 x 12 cm - 0.003 m <sup>3</sup>
Gross Weight	--

## Finishes

SHADE



Black



White



Brass

## Collection



Anvil LED Module



Anvil Point



Anvil Sphere



Anvil Spot



Anvil Slim Spot



Anvil System

## Codes

## Luminaire

## Light Source

851220	ANVIL SPOT S 38° BLACK	LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851221	ANVIL SPOT S 38° WHITE	LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851222	ANVIL SPOT S 60° BLACK	LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851223	ANVIL SPOT S 60° WHITE	LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851795		LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851796		LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851797		LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851794+C		LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851790		LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851791		LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851792		LED 4,5W 546lm 250mA 3000K CRI>=90 230V
851793		LED 4,5W 546lm 250mA 3000K CRI>=90 230V

DOWNLOADS

↓ Anvil\_Spot\_Assembly.pdf

↓ Anvil\_Spot\_2D.pdf

